

Peter A. Lea, Scott A. Elias, and Susan K. Short	375-391	Stratigraphy and Paleoenvironments of Pleistocene Nonglacial Deposits in the Southern Nushagak Lowland, Southwestern Alaska, U.S.A.
Owen K. Mason and James E. Begét	392-403	Late Holocene Flood History of the Tanana River, Alaska, U.S.A.
Takayuki Shiraiwa and Teiji Watanabe	404-416	Late Quaternary Glacial Fluctuations in the Langtang Valley, Nepal Himalaya, Reconstructed by Relative Dating Methods
Hugh H. Mills	417-423	Temporal Variation of Mass-wasting Activity in Mount St. Helens Crater, Washington, U.S.A.
Osamu Yanagimachi and Hiroo Ohmori	424-435	Ecological Status of <i>Pinus pumila</i> Scrub and the Lower Boundary of the Japanese Alpine Zone
Gaku Kudo	436-443	Effects of Snow-free Period on the Phenology of Alpine Plants Inhabiting Snow Patches
Helmut Blaschke	444-450	Distribution, Mycorrhizal Infection, and Structure of Roots of Calicole Floral Elements at Treeline, Bavarian Alps, Germany
Daniel P. McCarthy, Brian H. Luckman, and Peter E. Kelly	451-455	Sampling Height-Age Error Correction for Spruce Seedlings in Glacial Forefields, Canadian Cordillera
Book Reviews	456-458	<i>Glacimarine Environments: Processes and Sediments</i> . J. A. Dowdeswell and J. D. Scourse; <i>Permafrost: Proceedings of the Fifth International Conference</i> ; Book Notices
Contents and Index for Volume 23	459-464	

## SUBJECT AND AUTHOR INDEX FOR VOLUME 23, 1991

Acrididae: Preserved in glacier, 108-114  
 Advection: Hudson Bay area, 24-30, 327-337, 338-348  
 Albedo, 115-119, 213-223  
 Algae, 287-295, 296-302  
 Alpine: Plant colonization, 262-272; Soils, 206-212; Surface albedo, 213-223; Vegetation, 444-450; Zone in Japan, 424-435  
 Andes: Autotrophic communities, 247-262; Globular mosses, 133-148  
 Antarctica: Moss banks, 361-374  
 Arctic: Holocene soligenous fens, 80-89; Inuit clothing, 71-79; Inuit use of sea ice, 3-10; Lemmings, 53-60; Seas and lakes, 11-23; Snowmelt date, 115-119; Steppe vegetation, 170-188  
 Atmospheric divergence, 338-348  
 Auerbach, N. A. and Halfpenny, J. C. (Snowpack and the sub-nivean environment for different aspects of an open meadow in Jackson Hole, Wyoming, U.S.A.), 41-44  
 Azam, F. See Thomas, W. H., et al., I and II  
 Bacteria, 287-295, 296-302

Bain, M. See Davis, J., et al.  
 Beall, C. M. See Cincotta, R. P., et al.  
 Begét, J. E. See Mason, O. K. and Begét, J. E.  
 Behavioral thermoregulation, 66-70  
 Benedict, J. B. (Experiments on lichen growth. II. Effects of a seasonal snow cover), 189-199  
*Betula pubescens*, 279-286  
 Biological processes: Sea and lakes in winter, 16-23  
 Bird-skin clothing, 71-79  
 Björck, S., Malmér, N., Hjort, C., Sandgren, P., Ingólfsson, Ó., Wallén, B., Lewis Smith, R. I., Jönsson, B. L. (Stratigraphic and paleoclimatic studies of a 5000-year-old moss bank on Elephant Island, Antarctica), 361-374  
 Blaschke, H. (Distribution, mycorrhizal infection, and structure of roots of calicole floral elements at treeline, Bavarian Alps, Germany), 444-450  
 Bockheim, J. G. and Burns, S. F. (Pergelic soils of the western contiguous United States: distribution and taxonomy), 206-212

## Book Reviews

- After the Ice Age: The Return of Life to Glaciated North America.* E. C. Pielou. S. A. Elias, 352-353
- Archeology of the Coney Creek Valley.* J. B. Benedict. R. L. Bettinger, 120-121
- Biogeography and Quaternary History in Tropical America.* T. C. Whitmore and G. T. Prance. V. Markgraf, 349-351
- Carbon Dioxide and Global Change.* S. B. Idso. D. Greenland, 121-122
- Colorado Flora: Eastern Slope.* W.A. Weber. D.F. Murray, 351-352
- Colorado Front Range: A Century of Ecological Change.* T. T. Veblen and D. C. Lorenz. W. L. Baker, 353-354
- Comparative and Environmental Physiology. 4. Animal Adaptation to Cold.* L. C. H. Wang. P. Marchand, 224
- Ecology of Soil Seed Banks.* M. A. Leck. J. R. Spence, 225-226
- Glacimarine Environments: Processes and Sediments.* J.A. Dowdeswell and J. D. Scourse. J. T. Andrews, 456
- Histoire naturelle du Cratère du Nouveau-Québec.* M. A. Bouchard. J. T. Andrews, 227-228
- Lichenicolous Fungi of Greenland.* V. Alstrup and D. L. Hawksworth. J. W. Flock, 351
- Living Ice: Hunters of the Canadian North.* H. Brody. R. Riewe, 353
- Living Ice: Understanding Glaciers and Glaciation.* R. P. Sharp. P. T. Davis, 122-123
- Methods of Dendrochronology: Applications in the Environmental Sciences.* E. R. Cook and L. A. Kairiukstis. D. K. Yamaguchi, 120
- Mountain Environments: An Examination of the Physical Geography of Mountains.* A. J. Gerrard. J. M. Harbor, 227
- Permafrost: Proceedings of the Fifth International Conference.* N. Caine, 456
- Quaternary Geology of Canada and Greenland.* R. J. Fulton. R. Miller, 349
- Surviving Fieldwork: A Report of the Advisory Panel on Health and Safety in Fieldwork, American Anthropological Association.* N. Howell. S. K. Short, 123
- The Inupiat and Arctic Alaska: An Ethnography of Development.* N. A. Chance. L. J. Ellana, 124
- Vegetation and Floristics of Pingos, Central Arctic Coastal Plain, Alaska.* M. D. Walker. W. D. Billings, 224-225
- Boutin, S. See Gilbert, B. S. and Boutin, S.
- Bryophytes: Andes, 247-262; High Arctic, 80-89
- Butler, D. R. See Malanson, G. P. and Butler, D. R.
- California: Sierra Nevada, phytoplankton, 287-295, 296-302
- Carbon dioxide efflux, 162-169
- Carrara, P. E., Trimble, D. A., and Rubin, M. E. (Holocene treeline fluctuations in the northern San Juan Mountains, Colorado, U.S.A., as indicated by radiocarbon-dated conifer wood), 233-246
- Cellular slime molds, 104-107
- Changtang*, 149-161
- Cho, B. C. See Thomas, W. H., et al., I and II
- Cincotta, R. P., van Soest, P. J., Robertson, J. B., Beall, C. M., and Goldstein, M. C. (Foraging ecology of livestock on the Tibetan *Changtang*: a comparison of three adjacent grazing areas), 149-161
- Circumpolar Ecosystems in Winter: A Symposium and Workshop, 1-79
- Climate change, 115-119
- Climate warming: Consequences, 53-60
- Climate: Hudson Bay Lowlands, 24-30, 328-337, 338-348
- Clothing: Inuit, 71-79
- Colorado: San Juan treeline, 233-246; Surface albedo, 213-223; Zoned lichen communities, 189-199
- Corvus corax*: Roost selection, 66-70
- Courtin, G. M., Kalliomaki, N. M., Hills, T., and Robitaille, R. L. (The effect of abiotic factors on the overwintering success in the meadow vole, *Microtus pennsylvanicus*: winter redefined), 45-52
- Cultural anthropology: Inuit clothing, 71-79; Tibetan pastoralism, 149-161
- Cushion plants, 262-272
- Dating techniques, 451-455
- Davis, J., Schober, A., Bain, M., and Sveinbjörnsson, B. (Soil carbon and nitrogen turnover at and below the elevational treeline in northern Fennoscandia), 270-286
- Debrey, L. D. See Lockwood, J. A., et al.
- Deciduous forest, 99-103
- Dendrochronology: Techniques, 451-455
- Dictyostelids, 104-107
- Disturbance: Effect on snowpack, 31-40
- Downslope movement, 200-205
- Draper, B. A. See Watts, P. D., et al.
- Duguay, C. R. and LeDrew, E. F. (Mapping surface albedo in the east slope of the Colorado Front Range, U.S.A., with Landsat Thematic Mapper), 213-223
- Dutton, E. G. and Endres, D. J. (Date of snowmelt at Barrow, Alaska, U.S.A.), 115-119
- Ecology: Alpine plants, 436-44; High mountain, 247-262; *Lemmus*, 53-60; *Microtus*, 45-52; Mosses, 133-148; Raven, 66-70; Scrub zone, 424-435; Subnivean environment, 41-44; Winter, 1-19
- Elephant Island, 361-374
- Elias, S. A. See Lea, P. A., et al.
- Endophytes, 444-450
- Endres, D. J. See Dutton, E. G. and Endres, D. J.
- Energy balance, 327-337, 338-348
- England, J. See LaFarge-England, C., et al.
- Environmental change, 311-319
- Everett, K. R. See Walker, M. D., et al.
- Eyles, N. See Mullins, H. T., et al.
- Fens: Soligenous, 80-89; Water table fluctuations, 303-310
- Flood history, 392-403
- Floristic variation, 273-278
- Fungi: VAM, 444-450
- Geothermal warmspots, 247-262
- Gilbert, B. S. and Boutin, S. (Effect of moonlight on winter activity of snowshoe hares), 61-65
- Glacial chronology, 404-416
- Glacial processes, 311-319
- Glacier National Park: Stratigraphy, 311-319
- Glacier terminal changes, 108-114
- Glaciolacustrine sedimentation, 311-319
- Goldstein, M. C. See Cincotta, R. P., et al.
- Grasshoppers: Preserved in glacier, 108-114
- Gravel bars, 273-278
- Grazing, 149-161
- Halfpenny, J. C. See Auerbach, N. A. and Halfpenny, J. C.
- Halloy, S. (Islands of life at 6000 m altitude: the environment

- of the highest autotrophic communities on earth [Socompa volcano, Andes]), 247-262
- Heat island snowmelt, 115-119
- Hills, T. See Courtin, G. M., et al.
- Himalayan glacial fluctuations, 404-416
- Hinchey, E. J. See Mullins, H. T., et al.
- Hjort, C. See Björck, S., et al.
- Holocene: Climate, 80-89, 233-246, 361-374, 375-391, 392-403; Soligenous fens, 80-89; Treeline fluctuations, 233-246
- Hudson Bay Lowlands: Climate, 24-30, 327-337, 338-348
- Hudson Bay: Impact on terrestrial climate, 24-30
- Icefoot complex, 320-327
- Idle, P. C. See Watts, P. D., et al.
- Ingólfsson, O. See Björck, S., et al.
- Insects: Fossil fauna, 375-391
- International Tundra Experiment (ITEX), 125
- Inuit: Clothing, 71-79; Use of sea ice, 3-10
- Island biogeography, 247-262
- Japan: Alpine phenology, 436-443; Alpine zone boundary, 424-435
- Jönsson, B. L. See Björck, S., et al.
- Kalliomaki, N. M. See Courtin, G. M., et al.
- Kelly, P. E. See McCarthy, D. P., et al.
- Kershaw, G. P. (The influence of simulated transport corridor on snowpack characteristics, Fort Norman, N.W.T., Canada), 31-40
- Kudo, G. (Effects of snow-free period on the phenology of alpine plants inhabiting snow patches), 436-443
- LaFarge-England, C., Vitt, D. H., and England, J. (Holocene soligenous fens on a High Arctic fault block, northern Ellesmere Island [82°N], N.W.T., Canada), 80-98
- Lake Michigan: Ice-rafted erosion, 320-327
- Lake: Comparison with sea, 11-23; Ice, 320-327; High-elevation, 296-302; Phytoplankton, 287-295, 296-302; Stratigraphy, 311-319; Winter conditions, 11-23
- Land claims: Arctic, 3-10
- Landolt, J. C. See Stephenson, S. L., et al.
- Landsat Thematic Mapper, 213-223
- Laursen, G. A. See Stephenson, S. L., et al.
- Lea, P. A., Elias, S. A., and Short, S. K. (Stratigraphy and paleoenvironments of Pleistocene nonglacial deposits in southern Nushagak Lowland, southwestern Alaska, U.S.A.), 375-391
- LeDrew, E. F. See Duguay, C. R. and LeDrew, E. F.
- Lemming, 53-60
- Lemmus lemmus*, 53-60
- Lepus americanus*, 61-65
- Lewis Smith, R. I. See Björck, S., et al.
- Lichen: Ecology, 189-199; Growth experiments, 189-199
- Lichenometry: Influence of snow, 189-199
- Liška, J. See Pyšek, P. and Liška, J.
- Lockwood, J. A., Thompson, C. D., Debrey, L. D., Love, C. M., Nunamaker, R. A., and Pfadt, R. E. (Preserved grasshopper fauna of Knife Point Glacier, Fremont County, Wyoming, U.S.A.), 108-114
- Longshore drift, 320-327
- Love, C. M. See Lockwood, J. A., et al.
- Luckman, B. H. See McCarthy, D. P., et al.
- Macrofossils, 80-89
- Malanson, G. P. and Butler, D. R. (Floristic variation among gravel bars in a subalpine river, Montana, U.S.A.), 273-278
- Malmer, N. See Björck, S., et al.
- Marine ecosystems: Inuit use of, 3-10
- Mason, O. K. and Begét, J. E. (Late Holocene flood history of Tanana River, Alaska, U.S.A.), 392-403
- Mass wasting, 417-423
- McCarthy, D. P., Luckman, B. H., and Kelly, P. E. (Sampling height-age error correction for spruce seedlings in glacial forefields, Canadian Cordillera), 451-455
- Microtus pennsylvanicus*: Overwinter success of, 45-52
- Mills, H. H. (Temporal variation of mass-wasting activity in Mount St. Helens crater, Washington, U.S.A.), 417-423
- Miner, J. J. and Powell, R. D. (An evaluation of ice-rafted erosion caused by an icefoot complex, southwestern Lake Michigan, U.S.A.), 320-327
- Montana: Riparian vegetation, 273-278; Stratigraphy, 311-319
- Moonlight: Effect on snowshoe hares, 61-65
- Mortality: *Microtus*, 45-52
- Moss: Andes, 247-262; Ecology, 133-148; Stratigraphy, 361-374
- Mount St. Helens, 417-423
- Mountainous terrain: Surface albedo, 213-223
- Mullins, H. T., Eyles, N., and Hinchey, E. J. (High-resolution seismic stratigraphy of Lake McDonald, Glacier National Park, Montana, U.S.A.), 311-319
- Mycorrhizal infection, 444-450
- Norwegian lemming, 53-60
- Nunamaker, R. A. See Lockwood, J. A., et al.
- Nutrients, 279-286
- Oakes, J. (Environmental factors influencing bird-skin clothing production), 71-79
- Oberbauer, S. F., Tenhunen, J. D., and Reynolds, J. F. (Environmental effects on CO<sub>2</sub> efflux from water track and tussock tundra in arctic Alaska, U.S.A.), 162-169
- Ohmori, H. See Yanagimachi, O. and Ohmori, H.
- Paleoclimate: Antarctica, 361-374; Arctic, 80-89
- Paleoecological methods, 375-391
- Paleoecology, 80-89
- Paleoenvironment: Alaska, 375-391
- Pamiro-Alai Mountains, 262-272
- Paramo: Globular mosses, 133-148
- Pastoralism, 149-161
- Peat: Deposits, 80-89; Moss bank, 361-374
- Peatlands, 202-310
- Perez, F. L. (Ecology and morphology of globular mosses of *Grimmia longirostris* in the Paramo Blancas, Venezuelan Andes), 133-148
- Periglacial mass wasting, 200-205
- Permafrost, 200-205, 206-212
- Pfadt, R. E. See Lockwood, J. A., et al.
- Phenology: Alpine plants, 436-443
- Photosynthesis, 287-295, 296-302
- Physical processes: Sea and lakes in winter, 11-16
- Phytoplankton, 287-295, 296-302
- Pingo vegetation, 170-188
- Pinus pumila*, 424-435
- Planktonic interrelationships, 287-295
- Pleistocene nonglacial deposits, 375-391
- Pollen analysis, 80-89, 375-391
- Powell, R. D. See Miner, J. J. and Powell, R. D.

- Price, L. W. (Subsurface movement on solifluction slopes in the Ruby Range, Yukon Territory, Canada—a 20-year study), 200–205
- Pysek, P. and Liska, J. (Colonization of *Sibbaldia tetrandra* cushion on alpine scree in the Pamiro-Alai Mountains, central Asia), 263–272
- Quaternary glacial fluctuations, 404–416
- Radiocarbon dating, 233–246
- Rangeland, 149–161
- Raven: Roost selection, 66–70
- Relative dating, 404–416
- Reynolds, J. F. See Oberbauer, S. F., et al.
- Riewe, R. (Inuit use of sea ice), 3–10
- Riparian vegetation, 273–278
- Robertson, J. B. See Cincotta, R. P., et al.
- Rockfall, 417–423
- Roost selection, 66–70
- Root systems, 444–450
- Roulet, N. T. (Surface level and water table fluctuations in a subarctic fen), 303–310
- Rouse, W. R. (Impacts of Hudson Bay on the terrestrial climate of the Hudson Bay Lowlands), 24–30
- Rouse, W. R. See also Weick, E. J. and Rouse, W. R., I and II
- Rubin, M. E. See Carrara, P. E., et al.
- Ruminant: Forage selection, 149–161
- Sandgren, P. See Björck, S., et al.
- Schober, A. See Davis, J., et al.
- Scott, P. A. (Circumpolar Ecosystems in Winter: Introduction and Rationale), 1–2
- Sea ice: Inuit use of, 3–10
- Sea: Comparison with lakes, 11–23; Winter conditions, 11–23
- Sediment budget, 320–327
- Seismic: Activity, 417–423; Stratigraphy, 311–319
- Shiraiwa, T. and Watanabe, T. (Late Quaternary glacial fluctuations in the Langtang valley, Nepal Himalaya, reconstructed by relative dating methods), 404–416
- Snowshoe hares, 61–65
- Short, S. K. See Lea, P. A., et al. and Walker, M. D., et al.
- Sibbaldia tetrandra*, 263–272
- Snow-free period, 436–443
- Snowmelt date, 115–119
- Snowpack: Characteristics, 31–40, 41–44
- Soil movement, 200–205
- Soil: Carbon and nitrogen turnover, 279–286; Cellular slime molds, 104–107; Classification, 206–212; Nutrient relations, 279–286; Pergelic, 206–212; Temperature, 206–212; Tundra, 162–169
- Solifluction, 200–205
- Soligenous fens, 80–89
- Stephenson, S. L., Landolt, J. C., and Laursen, G. A. (Cellular slime molds in soils of Alaskan tundra, U.S.A.), 104–107
- Steppe vegetation, 99–103, 170–188
- Stratigraphy: Antarctic moss banks, 361–374; Southwestern Alaska, 375–391; Tanana River, 392–403
- Subalpine lakes: Phytoplankton, 287–295, 296–302
- Subalpine zone, 424–435
- Subarctic fen, 303–310
- Subarctic: Activity of snowshoe hares, 61–65; Snowpack characteristics, 31–40
- Subnivean environment, 41–44
- Sveinbjörnsson, B. See Davis, J., et al.
- Tanana River flood history, 392–403
- Tast, J. (Will the Norwegian lemming become endangered if climate becomes warmer?), 53–60
- Tenhunen, J. D. See Oberbauer, S. F., et al.
- Tephra stratigraphy, 361–374
- Thaw depth, 162–169
- Thermal index, 41–44, 45–52
- Thomas, W. H., Cho, B. C., and Azam, F. (Phytoplankton and bacterial production and biomass in subalpine Eastern Brook Lake, Sierra Nevada, California. I. Seasonal interrelations between the two biotic groups), 287–295
- Thomas, W. H., Cho, B. C., and Azam, F. (Phytoplankton and bacterial production and biomass in subalpine Eastern Brook Lake, Sierra Nevada, California. II. Comparison with other high-elevation lakes), 296–302
- Thompson, C. D. See Lockwood, J. A., et al.
- Tibetan pastoralists, 149–161
- Transport corridor, 31–40
- Treeline: Fluctuations, 233–246; Nutrients, 279–286
- Trimble, D. A. See Carrara, P. E., et al.
- Tundra: CO<sub>2</sub> efflux, 162–169; Cellular slime molds, 104–107
- van Soest, P. J. See Cincotta, R. P., et al.
- Vegetation: Alpine, 444–450; Effect of light and moisture, 99–103; Pingo, 170–188; Riparian, 273–278; Steppe, 170–188; Succession, 451–455; Tibetan plateau, 149–161
- Venezuela: Moss ecology, 133–148
- Vitt, D. H. See LaFarge-England, C., et al.
- Volcano: Autotrophic communities, 247–262; Mass wasting, 417–423
- Vole. See *Microtus*
- Walker, D. A. See Walker, M. D., et al.
- Walker, M. D., Walker, D. A., Everett, K. R., and Short, S. K. (Steppe vegetation on south-facing slopes of pingos, central Arctic Coastal Plain, Alaska, U.S.A.), 170–188
- Wallen, B. See Björck, S., et al.
- Watanabe, T. See Shiraiwa, T. and Watanabe, T.
- Water table: Fluctuations, 303–310; Tundra, 162–169
- Watts, P. D., Draper, B. A., and Idle, P. C. (Environmental influences on roost selection in wintering ravens at Churchill, Manitoba, Canada), 66–70
- Weick, E. J. and Rouse, W. R. (Advection in the coastal Hudson Bay Lowlands. I. The terrestrial surface energy balance), 328–337
- Weick, E. J. and Rouse, W. R. (Advection in the coastal Hudson Bay Lowlands. II. Impact of atmospheric divergence on the surface energy balance), 338–348
- Welch, H. (Comparisons between lakes and seas during the arctic winter), 11–23
- Wesser, S. D. (The effects of light and moisture on two species from contiguous communities of south-facing bluffs in interior Alaska, U.S.A.), 99–103
- Wind: Effect on snowpack, 31–40
- Winter: Activity of snowshoe hares, 61–65; Ecology, 1–79; Reproduction in lemmings, 53–60; Redefinition of, 45–52; Sea and lake comparison, 11–23
- Yanagimachi, O. and Ohmori, H. (Ecological status of *Pinus pumila* scrub and the lower boundary of the Japanese alpine zone), 424–435

